

PATIENT POST-OPERATIVE INSTRUCTIONS

Shoulder Arthroscopy

1. DRESSINGS AND STERI-STRIPS

- The dressings on your shoulder should be left in place and kept dry for 3-5 days.
 - Your dressings will be removed/changed at your first postoperative appointment in clinic or at physical therapy.
- Your steri-strips will be changed at your first postoperative visit
- Do NOT submerge the shoulder (ie. hot tub / bath, etc) for the first 2 weeks after surgery.

2. ACTIVITY/SLING

- Activity allowed in the immediate postoperative period will be specified by Dr. Berry based on your specific procedure.
- Keep the shoulder immobilized in the sling at all times during except when in your CPM machine or until you are told to stop using it by Dr. Berry.
 - This means you will sleep in it as well to help prevent re-injury to your shoulder.
- When instructed by Dr. Berry you may shower without the sling, BUT must ensure the shoulder is protected and you are extremely cautious.
 - MOST ACCIDENTS HAPPEN IN THE BATHROOM!

3. CPM MACHINE

- Use the CPM machine for a minimum of 6-8 hours a day to prevent scar tissue and improve range of motion.
 - You will be contacted either before surgery or within 2 days after surgery to schedule a delivery time for the machine
- You will use the CPM machine for 21 days after surgery.
 - You may use your cold therapy device in conjunction with the use of the CPM machine.
- **For SLAP Repair/Scope/MUA:**
 - Start the CPM at 20-50 degrees or as tolerated, and increase up to 140 degrees as tolerated with a minimum of 10 degrees daily.
- **For Rotator Cuff Repair:**
 - Start the CPM at 30-50 degrees or as tolerated, and increase at a minimum of 10 degrees daily up to a maximum of 90 degrees.

4. PHYSICAL THERAPY

- If you just had a basic shoulder scope you will begin physical therapy within 1-2 days after surgery.
- If you have a repair done you will typically start therapy 2-4 weeks after surgery and will be given further instructions at your postoperative visit.

SPORT Orthopedics & Rehabilitation

DALLAS 19200 Preston Road | Suite 120 | Dallas TX | 75252

FRISCO 9255 Dallas Pkwy | Suite 120 | Frisco TX | 75033

TEL 469.200.2832

Shoulder Arthroscopy - 1

FAX 469.269.1074

WEB www.sportsmedtexas.com

PATIENT POST-OPERATIVE INSTRUCTIONS

Shoulder Arthroscopy

- It is very important to follow Dr. Berry's protocols for physical therapy as it could affect the outcome of your recovery.

5. PAIN

- Your anesthesiologist will discuss with you in regards to a block which is an injection that will help with pain control and can last up to 36 hours.
 - We highly recommend getting the block to facilitate pain control and initiation of recovery.
- You have been provided with a prescription for several different medications that when used together will provide the most effective relief after your surgery.
 - Read each bottle carefully and follow instructions
- Once you no longer require narcotics for pain control, switch to Extra-Strength Tylenol as required, but do not take Tylenol with the narcotic.
- Use an ice pack or cold therapy delivery system for 20 mins every hour while awake to help with pain and swelling.

6. BLEEDING AND SWELLING

- It is common to have some spotting through the dressings following surgery. Place an additional dressing over the area if this occurs.
- The incisions may continue to "leak" fluid after removal of the initial dressing – this is common and should not raise concern. Place an additional bandage or Band-Aids over the incisions to help them heal. Keep the incisions clean and dry.

7. DIET

- Resume your regular diet following surgery – drink plenty of fluids!
- Add additional fiber to your diet to help relieve the constipation associated with the pain medication.
- If you have diabetes, it is very important to maintain normal glucose levels after your surgery.

8. RED FLAGS

- If you develop any of the following symptoms contact the office or go to your nearest emergency department for assessment:
 - Increasing calf pain / swelling that does not improve with elevation and ice
 - Shortness of breath
 - Chest pain
 - Redness and purulent drainage around the incision

SPORT Orthopedics & Rehabilitation

DALLAS 19200 Preston Road | Suite 120 | Dallas TX | 75252

FRISCO 9255 Dallas Pkwy | Suite 120 | Frisco TX | 75033

TEL 469.200.2832

Shoulder Arthroscopy - 2

FAX 469.269.1074

WEB www.sportsmedtexas.com

PATIENT POST-OPERATIVE INSTRUCTIONS

Shoulder Arthroscopy

9. POST-OPERATIVE VISIT

- Your first post-operative visit is scheduled for: _____

SPORT Orthopedics & Rehabilitation

DALLAS 19200 Preston Road | Suite 120 | Dallas TX | 75252

FRISCO 9255 Dallas Pkwy | Suite 120 | Frisco TX | 75033

TEL 469.200.2832

Shoulder Arthroscopy - 3

FAX 469.269.1074

WEB www.sportsmedtexas.com